

- 01. interior trims
- 02. equipment
- 03. batteries and engines

01. interior trim



start



advance

02. equipment

start

technology

- EASY LINK display with 8" touchscreen, DAB, Bluetooth & **USB** ports
- · 3.5" monochrome TFT driver
- information display
 smartphone replication with Apple CarPlay & Android Auto
- $\boldsymbol{\cdot}$ automatic headlights and rain sensitive front wipers
- · key 3 button folding with selective opening and 'Superlocking' feature
 • 12v power socket (front)

interior

- · driver's seat height adjustable
- · closed glovebox
- full bulkhead
- · manual air conditioning
- · electric front windows driver's side 'one touch' descending
- 10 anchorage points in load area
 new Kangoo fabric upholstery

exterior

- · full Halogen Headlights and Daytime Running Lights
- · 16" Steel Wheels
- · door mirrors heated with electric adjustment
- left & right hand side sliding door unglazed
- · rear doors unglazed, 180° opening
- roof bar fixings

safety and security

- driver & passenger airbag
- · front, side & curtain airbags
- · hill start assist
- · E-Call automated emergency call
- · spare wheel
- · seatbelt reminder driver and passenger
- cruise control and speed limiter

- deadlocking
 rear parking sensors

start (specific E-Tech equipment)

- · automatic monozone air conditioning with heat pump
- · front E-Tech charging port
- · mode 3 type 2 AC charging cable
- Z.E voice warning noise emits when vehicle is driving at low speeds

advance (in addition to start)

technology

· electric parking brake

interior

- · premium gear stick with chrome inserts
- · LED lighting load area
- · new Kangoo cloth upholstery with
- yellow accents
- · two seat passenger bench

safety and security

- · wide view mirror
- \cdot rear parking camera
- · auto high/low beam

03. engines and E-Tech motor

	Blue dCi 95	Blue dCi 115 EDC
Engines		
Capacity (cc)/number of cylinders/valves	1,461/4/8	
Peak power kW EEC (hp) at rpm	70 (95) at 3,750	85 (115) at 3,750
Max. torque Nm EEC at rpm	260 at 1,750	270 at 1,750
Injection type	common rail	
Fuel and tank volume (I)	diesel - 54	
AdBlue® tank volume (I) (Diesel engines only)	18.6	18.6
Emission control standard	Euro 6D-Full	
Gearbox type / Number of gears	manual/ 6-speed	automatic/ 7-speed
Stop & Start and energy recovery on braking	as standard	
Service interval	up to 40,000KM/2 years	
Performance		
Maximum speed (km/h)	163	173
0-100 km/h	13.6	12.1
Fuel consumption and CO ₂ emissions ⁽¹⁾		
Certification protocol	WLTP ⁽²⁾	
Combined fuel consumption (I/100km)	5.3	5.6
CO ₂ emissions (g/km)	139	147
Steering		
Kerb-to-kerb/wall-to-wall turning circle (m)	11.31/11.75	
Braking		
Anti-lock Braking System (ABS) with Emergency Brake Assist (EBA) and Electronic Stability Control (ESC)	standard	
Front brakes: diameter x thickness / with electric parking brake (mm)	ventilated disc - D280 x 24/D29 x 26	
Rear brakes: diameter x thickness/with electric parking brake (mm)	9" drum/ventilated discs - D292 x16	
Tyres		
Tyre / wheel size	205/60 R16 / 16"	

(1) Fuel consumption and CO_2 emissions are certified using a standard, regulatory method. This method is identical for all manufacturers and enables vehicles to be compared. France data, excluding camber. (2) WLTP (Worldwide Harmonised Light Vehicle Test Procedures): this new protocol provides results much closer to those found in daily use compared to the NEDC protocol.

Motor		
Capacity (cc)/number of cylinders / valves	x/synchronous with coiled rotor	
Max. power kW EEC (hp) at rpm - Normal/eco mode	90(120)/45(60)	
Max. torque Nm EEC	245 nm	
Gearbox type / Number of gears	Automatic/1	
Energy recovery on braking	3 regenerative braking modes	
Service interval	Year 1/20,000km, Year 2/40,000km and then every 2 years/40,000km thereafte	
Battery		
Battery type	Lithium-Ion with cooling system	
Net storage capacity (kWh)	44	
WLTP driving range (km)	300	
Recharging capacity	AC 22kW + DC 80kW	
Performance		
Maximum speed (km/h)	130	
0-100km/h	11.6	
Steering		
Kerb-to-kerb/wall-to-wall turning circle (m)	11.31/11.75	
Braking		
Anti-lock Braking System (ABS) with Emergency Brake Assist (EBA) and Electronic Stability Control (ESC)	as standard	
Front brakes: diameter x thickness/with electric parking brake (mm)	ventilated discs: D280 x 24 / D296 x 26	
Rear brakes: diameter x thickness / with electric parking brake (mm)	ventilated discs: D274 x 11 / D292 x 16	
Tyres		
Tyre/wheel size	205/60 R16 / 16"	
Weight ⁽²⁾		
Payload ⁽²⁾ (kg)	615	
Max. braked towing weight (kg) ⁽²⁾	1500/750	

 $[\]textbf{(1)} The driving range depends on the configuration chosen. \\ \textbf{(2)} The weights depend on the equipment chosen. \\$